

# MATERIAL SAFETY DATA SHEET

Prepared to U.S. OSHA, CMA, ANSI, and Canadian WHMIS Standards

## PART I What is the material and what do I need to know in an emergency?

### 1. PRODUCT IDENTIFICATION

**TRADE NAME (AS LABELED):** ATAC® Flow Kleen Wash Solution  
**PRODUCT NUMBER (AS LABELED):** 283-480  
**CHEMICAL NAME/CLASS:** Not Applicable  
**SYNONYMS:** Not applicable  
**PRODUCT USE:** In-Vitro Diagnostic Reagents  
**SUPPLIER/MANUFACTURER'S NAME:** Vital Diagnostics, Inc.  
**ADDRESS:** 27 Wellington Road  
 Lincoln, RI 02865 USA  
**EMERGENCY PHONE:** 1-760-602-8700  
**BUSINESS PHONE:** 1-401-642-8400; 1-800-345-2822  
**DATE OF PREPARATION:** June 1, 2008

### 2. COMPOSITION and INFORMATION ON INGREDIENTS

This Material Safety Data sheet describes the ATAC FLOW KLEEN WASH SOLUTION. This product consists of the following four reagents: WASH SOLUTION 1; WASH SOLUTION 2; WASH SOLUTION 3; and WASH SOLUTION 4.

CHEMICAL NAME	CAS #	% v/v	EXPOSURE LIMITS IN AIR					
			ACGIH-TLV		OSHA-PEL		NIOSH IDLH	OTHER
			TWA ppm	STEL ppm	TWA ppm	STEL ppm		

#### COMPONENT 1: WASH SOLUTION 1 (F8906v1.0)

Water and other constituents. Each of the other constituents is present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens).	Balance	The remaining constituents do not contribute any significant additional hazards. All pertinent information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).
--	---------	--

#### COMPONENT 2: WASH SOLUTION 2 (F8892v1.1)

Water and other constituents. Each of the other constituents is present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens).	Balance	The remaining constituents do not contribute any significant additional hazards. All pertinent information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).
--	---------	--

#### COMPONENT 3: WASH SOLUTION 3 (F8908v1.0)

Isopropanol	67-63-0	15-25	400 NIC: 200, A4 (Not Classifiable as a Human Carcinogen)	500 NIC: 400, A4 (Not Classifiable as a Human Carcinogen)	400	500 (Vacated 1989 PEL)	2000 (based on LEL)	NIOSH REL: TWA = 400 STEL = 500 DFG MAK: TWA = 200 PEAK = 2•MAK, 30 min., average value DFG MAK Pregnancy Risk Classification: C Carcinogen: IARC-3 (NIC-TLV-A4)
Water and other constituents. Each of the other constituents is present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens).	Balance	The remaining constituents do not contribute any significant additional hazards. All pertinent information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).						

NE = Not Established      NIC = Notice of Intended Change      See Section 16 for Definitions of Terms Used

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-1998 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

## 2. COMPOSITION and INFORMATION ON INGREDIENTS (Continued)

CHEMICAL NAME	CAS #	% v/v	EXPOSURE LIMITS IN AIR					
			ACGIH-TLV		OSHA-PEL		NIOSH	OTHER
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	IDLH mg/m <sup>3</sup>	mg/m <sup>3</sup>

### COMPONENT 4: WASH SOLUTION 4 (F8909v1.0)

Isopropanol	67-63-0	15–25	400 NIC: 200, A4 (Not Classifiable as a Human Carcinogen)	500 NIC: 400, A4 (Not Classifiable as a Human Carcinogen)	400	500 (Vacated 1989 PEL)	2000 (based on LEL)	NIOSH REL: TWA = 400 STEL = 500 DFG MAK: TWA = 200 PEAK = 2•MAK, 30 min., average value DFG MAK Pregnancy Risk Classification: C Carcinogen: IARC-3 (NIC-TLV-A4)
Water and other constituents. Each of the other constituents is present in less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens).		Balance	The remaining constituents do not contribute any significant additional hazards. All pertinent information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).					

NE = Not Established

NIC = Notice of Intended Change

See Section 16 for Definitions of Terms Used

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-1998 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

## 3. HAZARD IDENTIFICATION

**EMERGENCY OVERVIEW:** The components of this product are clear, colorless, odorless liquids. **Health Hazards:** The chief hazard in event of contamination or overexposure to this product is the potential for irritation of contaminated skin or eyes. **Flammability Hazards:** If involved in a fire, the components of this product may decompose to produce toxic gases (e.g., carbon oxides, hydrogen chloride). **Reactivity Hazards:** Negligible. **Environmental Hazards:** Negligible. **Emergency Recommendations:** Emergency responders must wear personal protective equipment suitable for the situation to which they are responding.

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** No adverse health effects should occur from routine, occupational use of the components of this product in the manner specified by the manufacturer's instructions. The potential health effects of this product's components are as follows:

**INHALATION:** Inhalation of vapors, mists, or sprays of the components of this product may mildly irritate the nose, throat, and lungs. Symptoms may include coughing and sneezing.

**CONTACT WITH SKIN or EYES:** Contact with the skin may cause mild irritation, which is alleviated upon rinsing. Repeated skin contact may cause dermatitis (dry, red skin). Eye contact may cause irritation and tearing.

**SKIN ABSORPTION:** The Isopropanol constituent of this product is absorbed through intact skin. Absorption is not anticipated to be a significant route of exposure due to the dilute nature of this product.

**INGESTION:** Ingestion is not anticipated to be a significant route of exposure for the components of this product. If these components are swallowed they may cause gastric distress. Large doses may cause nausea, vomiting, and diarrhea.

**INJECTION:** Accidental injection of the components of this product, via laceration or puncture by a contaminated object, may cause local redness, tissue swelling, and discomfort in addition to the wound.




### HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

<b>HEALTH</b>	(BLUE)	1
---------------	--------	---

<b>FLAMMABILITY</b>	(RED)	0
---------------------	-------	---

<b>REACTIVITY</b>	(YELLOW)	0
-------------------	----------	---

<b>PROTECTIVE EQUIPMENT</b>	B
-----------------------------	---

EYES	RESPIRATORY	HANDS	BODY
	SEE SECTION 8		

For routine applications.

**See Section 16 for Definition of Ratings**

### 3. HAZARD IDENTIFICATION (Continued)

HEALTH EFFECTS OR RISKS FROM EXPOSURE: An Explanation in **Lay Terms**.

**ACUTE:** Severe inhalation and ingestion exposure may be irritating.

**CHRONIC:** Repeated skin contact may cause dermatitis (dry, red skin).

**TARGET ORGANS:** ACUTE: Skin, respiratory system. CHRONIC: Skin.

---

## PART II *What should I do if a hazardous situation occurs?*

---

### 4. FIRST-AID MEASURES

Victims of chemical exposure must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of label and MSDS to physician or health professional with victim.

SKIN EXPOSURE: Basic hygiene should prevent any problems. If contact with this product causes redness, inflammation, or irritation, flush the exposed area with running water. Remove any contaminated clothing, taking care not to contaminate eyes.

EYE EXPOSURE: If liquid or vapors of the components of this product enter the eyes, open victim's eyes while under gently running water. Use sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes.

INHALATION: If vapors, mists, or sprays from the components of this product are inhaled, causing irritation, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Remove or cover gross contamination to avoid exposure to rescuers.

INGESTION: If the components of this product are swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing dermatitis and other skin conditions may be aggravated by overexposure to components of this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

---

### 5. FIRE-FIGHTING MEASURES

FLASH POINT: Not flammable.

AUTOIGNITION TEMPERATURE: Not applicable.

FLAMMABLE LIMITS (in air by volume, %):

(LEL): Not applicable.

(UEL): Not applicable.

FIRE EXTINGUISHING MATERIALS: In the event of a fire, use suppression methods for surrounding materials.

Water Spray: YES

Carbon Dioxide: YES

Dry Chemical: YES

Halon: YES

Other: Any "ABC" Class.

Foam: YES


UNUSUAL FIRE AND EXPLOSION HAZARDS: In a fire situation, this product presents negligible hazards to fire fighters. When involved in a fire, the components of this product will decompose and produce irritating vapors and toxic gases (including carbon oxides and hydrogen chloride).

Explosion Sensitivity to Mechanical Impact: Not sensitive.

Explosion Sensitivity to Static Discharge: Not sensitive.

SPECIAL FIRE-FIGHTING PROCEDURES: Move containers from fire area if it can be done without risk to personnel. Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

#### NFPA RATING



**See Section 16 for Definition of Ratings**

---

### 6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: For small releases take basic hygiene precautions. Lightweight gloves, a lab coat, and eye protection should be worn. Absorb spilled liquid with paper towels. Trained personnel using pre-planned procedures should respond to large releases that are not immediately controlled. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel.

## 6. ACCIDENTAL RELEASE MEASURES (Continued)

In the event of a non-incident release, minimum Personal Protective Equipment should be **Level D: lab-gloves, chemical resistant apron, boots, and splash goggles. Respiratory protection should not be necessary.** Absorb spilled liquid with polypads or other suitable absorbent materials. Decontaminate the area thoroughly. Place all spill residue in a suitable container and seal. Dispose of in accordance with applicable U.S. Federal, State, or local procedures or appropriate standards of Canada (see Section 13, Disposal Considerations).

---

### **PART III** *How can I prevent hazardous situations from occurring?*

---

## 7. HANDLING and STORAGE

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting the components of this product ON YOU or IN YOU. Wash thoroughly after handling the components of this product. Avoid splashing or spraying the components of this product. Do not eat or drink while handling the components of this product. Follow SPECIFIC USE INSTRUCTIONS supplied with this product.

**STORAGE AND HANDLING PRACTICES:** All employees who handle this material should be trained to handle it safely. Do NOT pour these solutions down the drain. Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Store away from incompatible materials (see Section 10, Stability and Reactivity). Store this product in original container at controlled room temperature of 15-30°C (59-86°F). Inspect all incoming containers before storage to ensure containers are properly labeled and not damaged.

**PROTECTIVE PRACTICES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT:** Follow practices indicated in Section 6 (Accidental Release Measures). Make certain that application equipment is locked and tagged-out safely, as applicable. Collect all rinsates and dispose of according to applicable U.S. Federal, State, or local procedures or appropriate standards of Canada. All disposable items contaminated with this product should be disposed of properly.

---

## 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided in Section 2 (Composition and Information on Ingredients) if applicable. Ensure eyewash/safety shower stations are available near areas where this product is used.

**RESPIRATORY PROTECTION:** Respiratory protection is not generally needed during routine use of this product. Maintain airborne contaminant concentrations below exposure limits listed in Section 2 (Composition and Information on Ingredients) if applicable. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, or Canadian CSA Standard Z94.4-93. Use supplied air respiration protection if oxygen levels are below 19.5% or are unknown.

**EYE PROTECTION:** Splash goggles or safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133.

**HAND PROTECTION:** Wear latex or rubber gloves for routine industrial use. Use triple gloves for spill response, as stated in Section 6 (Accidental Release Measures) of this MSDS.

**BODY PROTECTION:** Use body protection appropriate for task (e.g., coveralls, Tyvek® suit).

---

## 9. PHYSICAL and CHEMICAL PROPERTIES

**RELATIVE VAPOR DENSITY (air = 1):** Not established.

**EVAPORATION RATE (nBuAc = 1):** Similar to water.

**SPECIFIC GRAVITY (water = 1):** Not established.

**FREEZING/MELTING POINT:** Similar to water.

**VAPOR PRESSURE, mm Hg @ 20°C:** Not established.

**pH:** Not established.

**ODOR THRESHOLD:** Not available.

**LOG WATER/OIL DISTRIBUTION COEFFICIENT:** Not available.

**APPEARANCE AND COLOR:** Clear, colorless liquids.

**HOW TO DETECT THIS SUBSTANCE:** There are no unusual warning properties associated with these components.

---

## 10. STABILITY and REACTIVITY

**STABILITY:** Stable.

**DECOMPOSITION PRODUCTS:** Thermal decomposition of the components of this product may produce carbon oxides and hydrogen chloride.

**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** Strong oxidizers, strong acids, some metals, substances that are incompatible with water.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Any conditions that are incompatible with water, mixing this product with incompatible chemicals.

## PART IV *Is there any other useful information about this material?*

### 11. TOXICOLOGICAL INFORMATION

**TOXICITY DATA:** The following information is available for the constituents in components of this product present in greater than 1 percent concentration.

**ISOPROPANOL:**

Skin Irritancy (rabbit) = 500 mg; mild  
Eye Irritancy (rabbit) = 100 mg; severe  
Eye Irritancy (rabbit) = 16 mg  
Eye Irritancy (rabbit) = 10 mg; moderate  
Cytogenetic Analysis (*Saccharomyces cerevisiae*) = 200 mmol/tube  
Cytogenetic Analysis (inhalation, rat) = 1030  $\mu\text{g}/\text{m}^3/16$  weeks/intermittent  
TCLo (inhalation, rat) = 10,000 ppm/7 hours/female 1–19 days post; Teratogenic effects  
TDLo (oral, man) = 14,432 mg/kg; Behavioral: coma; Vascular: BP lowering not characterized in autonomic section; Lungs, Thorax, or Respiration: dyspnea  
TDLo (oral, human) = 223 mg/kg; Behavioral: hallucinations, distorted perceptions; Cardiac: pulse rate; Vascular: BP lowering not characterized in autonomic section

**ISOPROPANOL (continued):**

TDLo (oral, rat) = 6480 mg/kg/male 26 weeks pre; Reproductive effects  
TDLo (oral, infant) = 13 gm/kg; Behavioral: somnolence (general depressed activity), irritability; Gastrointestinal: nausea or vomiting  
LDLo (oral, man) = 5272 mg/kg; Behavioral: coma; Vascular: BP lowering not characterized in autonomic section; Lungs, Thorax, or Respiration: chronic pulmonary edema  
LDLo (oral, human) = 3570 mg/kg; Behavioral: coma; Lungs, Thorax, or Respiration: respiratory depression; Gastrointestinal: nausea or vomiting  
LDLo (unreported, man) = 2770 mg/kg  
LD<sub>50</sub> (oral, rat) = 5045 mg/kg  
LCLo (inhalation, rat) = 16,000 ppm/4 hours  
LD<sub>50</sub> (intraperitoneal, rat) = 2735 mg/kg  
LD<sub>50</sub> (intravenous, rat) = 1099 mg/kg

**ISOPROPANOL (continued):**

LD<sub>50</sub> (oral, mouse) = 3600 mg/kg  
LCLo (inhalation, mouse) = 12,800 ppm/3 hours  
LD<sub>50</sub> (intraperitoneal, mouse) = 4477 mg/kg  
LDLo (subcutaneous, mouse) = 6000 mg/kg  
LD<sub>50</sub> (intravenous, mouse) = 1509 mg/kg  
LDLo (oral, dog) = 1537 mg/kg; Gastrointestinal: nausea or vomiting  
LDLo (intravenous, dog) = 5120 mg/kg  
LDLo (oral, cat) = 6 mL/kg  
LDLo (intravenous, cat) = 1963 mg/kg  
LD<sub>50</sub> (oral, rabbit) = 6410 mg/kg  
LD<sub>50</sub> (skin, rabbit) = 12,800 mg/kg  
LD<sub>50</sub> (intraperitoneal, rabbit) = 667 mg/kg  
LD<sub>50</sub> (intravenous, rabbit) = 1184 mg/kg  
LD<sub>50</sub> (intraperitoneal, guinea pig) = 2560 mg/kg  
LD<sub>50</sub> (intraperitoneal, hamster) = 3444 mg/kg  
LDLo (parenteral, frog) = 20 g/kg; Peripheral Nerve and Sensation: spastic paralysis with or without sensory change; Behavioral: somnolence (general depressed activity)

**SUSPECTED CANCER AGENT:** Constituents in the components of this product are listed as follows:

**ISOPROPANOL:** ACGIH-TLV-A4 Notice of Intended Change: (Not Classifiable as Human Carcinogen); IARC-3 (Unclassifiable as to Carcinogenicity in Humans)

The remaining constituents in components of this product are not found on the following lists: NTP, IARC, FEDERAL OSHA Z-List, and CAL-OSHA and therefore are neither considered to be nor suspected to be cancer causing agents by these agencies.

**IRRITANCY OF PRODUCT:** Contact with the skin or eyes may cause mild irritation, which is alleviated upon rinsing.

**SENSITIZATION TO THE PRODUCT:** The components of this product are not known to cause skin or respiratory sensitization

**REPRODUCTIVE TOXICITY INFORMATION:** Listed below is information concerning the effects of this product and its components on the human reproductive system.

**Mutagenicity:** This product is not reported to produce mutagenic effects in humans. Animal mutation data are available for the Isopropanol constituent of this product; these data were obtained during clinical studies on specific animal tissues exposed to high doses of this compound.

**Embryotoxicity:** This product is not reported to cause human embryotoxic effects.

**Teratogenicity:** This product is not reported to cause teratogenic effects in humans. Clinical studies on test animals exposed to relatively high doses of the Isopropanol constituent of this product provided teratogenic data.

**Reproductive Toxicity:** This product is not reported to cause adverse reproductive effects in humans. Clinical studies on test animals exposed to relatively high doses of the Isopropanol constituent of this product provided reproductive toxicity data.

*A **mutagen** is a chemical that causes permanent changes to genetic material (DNA) such that the changes will propagate through generation lines. An **embryotoxin** is a chemical that causes damage to a developing embryo (i.e. within the first eight weeks of pregnancy in humans), but the damage does not propagate across generational lines. A **teratogen** is a chemical that causes damage to a developing fetus, but the damage does not propagate across generational lines. A **reproductive toxin** is any substance that interferes in any way with the reproductive process.*

**BIOLOGICAL EXPOSURE INDICES:** Currently, there are no Biological Exposure Indices (BEIs) determined for the constituents in the components of this product.

### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL STABILITY:** The components of this product will degrade in the environment into smaller organic and inorganic constituents. Additional environmental data are available for components of this product as follows:

**ISOPROPANOL:**

Octanol/Water Partition Coefficient: Log P = 0.34–0.5

Persistence: If released to the soil, Isopropanol will both rapidly evaporate and leach into the ground due to high vapor pressure and low adsorption to soil. If released to water, Isopropanol will volatilize, with an estimated half-life of 5.4 days. If released to the atmosphere, Isopropanol will photodegrade, with an estimated half-life of one to several days. Due to the solubility of Isopropanol in water, rainout may be significant.

Biodegradation: In soil, and water, degradation of Isopropanol has not been determined. If soil degradation is not rapid, it will likely leach to groundwater.

## 12. ECOLOGICAL INFORMATION (Continued)

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** Release of large quantities of components of this product into the environment may have adverse effects on plants or animals.

**EFFECT OF CHEMICAL ON AQUATIC LIFE:** Release of large quantities of the components of this product into an aquatic environment may have adverse effects on aquatic plants or animals. Additional aquatic toxicity data are available for components of this product as follows:

### ISOPROPANOL:

toxic (*Chlorella pyrenoidosa* algae) = 17,400 mg/L  
NOEC (*Daphnia magna*) reproduction = 2,100 mg/L  
NOEC (*Daphnia magna*) growth = 757 mg/L  
EC<sub>0</sub> (*Pseudomonas putida*, bacteria) 16 hours = 1,050 mg/L  
EC<sub>0</sub> (*Microcystis aeruginosa*, algae) 8 days = 1,000 mg/L  
EC<sub>0</sub> (*Scenedesmus quadricauda*, green algae) 7 days = 1,800 mg/L  
EC<sub>50</sub> (*Daphnia magna*) reproduction = 3,010 mg/L  
EC<sub>50</sub> (*Entosiphon sulcatum*, protozoa) 72 hours = 4,930 mg/L  
EC<sub>50</sub> Microtox™ (*Photobacterium*) test 5 minutes = 22,800 mg/L  
EC<sub>0</sub> (*Uronema parduczi* Chatton-Lwoff, protozoa) = 3,425 mg/L  
LC<sub>0</sub> (*Semolilus atromaculatus*, creek chub) 24 hours = 900 mg/L  
LC<sub>50</sub> Streptokit F (*Streptocephalus proboscideus*) test 24 hours = 11,600 mg/L

### ISOPROPANOL (continued):

LC<sub>50</sub> (*Daphnia magna*) test 24 hours = 9500 mg/L  
LC<sub>50</sub> Rotoxkit F (*Brachionus calyciflorus*) test 24 hours = 28,600 mg/L  
LC<sub>50</sub> (*Crangon crangon*, brown shrimp) 48 hours = (average) 1,400 mg/L  
LC<sub>50</sub> (*Crangon crangon*, brown shrimp) 48 hours = (range) 900-1,950 mg/L  
LC<sub>50</sub> (*Crangon crangon*, brown shrimp) 98 hours = (average) 1,150 mg/L  
LC<sub>50</sub> (*Crangon crangon*, brown shrimp) 98 hours = (range) 750-1,650 mg/L  
LC<sub>50</sub> (*Daphnia magna*) = 4,600 mg/L  
LC<sub>50</sub> (*Crassus auratus*, goldfish) 24 hours = > 500 mg/L  
LC<sub>50</sub> (*Pimephales promelas*, fathead minnow) 1; 24; 48; 72 and 96 hours = 11,830; 11,160; 11,130; 11,130; 11,130 mg/L  
LC<sub>50</sub> (*Poecilia reticulata*, guppy) 7 days = 7,060 mg/L  
LC<sub>100</sub> (creek chub) 24 hours = 1,100 mg/L

## 13. DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations or with regulations of Canada. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority. Do NOT pour these solutions down the drain.

**U.S. EPA WASTE NUMBER:** Not applicable to wastes consisting only of this product.

## 14. TRANSPORTATION INFORMATION

**THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.**

**PROPER SHIPPING NAME:** Not Regulated  
**HAZARD CLASS NUMBER and DESCRIPTION:** Not Applicable  
**UN IDENTIFICATION NUMBER:** Not Applicable  
**PACKING GROUP:** Not Applicable  
**DOT LABEL(S) REQUIRED:** Not Applicable  
**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2000):** Not applicable.  
**MARINE POLLUTANT:** No component of this product is designated as a DOT Marine Pollutant (49 CFR 172.101, Appendix B).

**TRANSPORT CANADA TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:** This product is not considered as dangerous goods, per regulations of Transport Canada.

## 15. REGULATORY INFORMATION

### ADDITIONAL UNITED STATES REGULATIONS:

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are subject to Sections 302, 304, and 313 reporting requirements under the Superfund Amendment and Reauthorization Act as follows:

CHEMICAL NAME	SARA 302 (40 CFR 355, Appendix A)	SARA 304 (40 CFR Table 302.4)	SARA 313 (40 CFR 372.65)
Isopropanol (mfg-strong acid process)	No	No	Yes

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable.

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory.

**OTHER U.S. FEDERAL REGULATIONS:** Not applicable.

## 15. REGULATORY INFORMATION (Continued)

### ADDITIONAL UNITED STATES REGULATIONS (continued):

U.S. STATE REGULATORY INFORMATION: Constituents of this product listed in Section 2 (Composition and Information on Ingredients) are covered under State regulations, as denoted below:

**Alaska - Designated Toxic and Hazardous Substances:** Isopropanol.

**California - Permissible Exposure Limits for Chemical Contaminants:** Isopropanol.

**Florida - Substance List:** Isopropanol.

**Illinois - Toxic Substance List:** Isopropanol.

**Kansas - Section 302/313 List:** Isopropanol.

**Massachusetts - Substance List:** Isopropanol.

**Michigan - Critical Materials Register:** No.

**Minnesota - List of Hazardous Substances:** Isopropanol.

**Missouri - Employer Information/Toxic Substance List:** Isopropanol.

**New Jersey - Right to Know Hazardous Substance List:** Isopropanol.

**North Dakota - List of Hazardous Chemicals, Reportable Quantities:** No.

**Pennsylvania - Hazardous Substance List:** Isopropanol.

**Rhode Island - Hazardous Substance List:** Isopropanol.

**Texas - Hazardous Substance List:** Isopropanol.

**West Virginia - Hazardous Substance List:** Isopropanol.

**Wisconsin - Toxic and Hazardous Substances:** Isopropanol.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): No constituent of this product is on the California Proposition 65 lists.

U.S. ANSI STANDARD LABELING (Z129.1): **CAUTION!** MAY CAUSE SKIN AND EYE IRRITATION. Do not taste or swallow. Avoid skin and eye contact. Avoid prolonged or repeated skin contact. Avoid breathing mists or sprays. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. Wear gloves and goggles. **FIRST-AID:** In case of contact, immediately flush skin or eyes with plenty of water. If inhaled, remove to fresh air. If ingested, do not induce vomiting. Get medical attention if necessary. **IN CASE OF FIRE:** Use water fog, dry chemical, CO<sub>2</sub>, or "alcohol" foam. **IN CASE OF SPILL:** Absorb spill with polypads and place in suitable container. Consult Material Safety Data Sheet for additional information.

### ADDITIONAL CANADIAN REGULATIONS:

CANADIAN DSL/NDSL STATUS: The constituents of this product are listed on the DSL Inventory.

CANADIAN WHMIS IDL DISCLOSURE STATUS: The constituents of this product have no disclosure requirement levels.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION AGENCY (CEPA) PRIORITY SUBSTANCES LISTS: The constituents of this product are not on the Priority Substances Lists.

WHMIS SYMBOLS: Not applicable.

## 16. OTHER INFORMATION

### DEFINITIONS OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these, which are commonly used, include the following:

**CAS #:** This is the Chemical Abstract Service Number, which uniquely identifies each constituent.

#### EXPOSURE LIMITS IN AIR:

**ACGIH** - American Conference of Governmental Industrial Hygienists, a professional association that establishes exposure limits.

**TLV - Threshold Limit Value** - an airborne concentration of a substance that represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour **Time Weighted Average (TWA)**, the 15-minute **Short Term Exposure Limit**, and the instantaneous **Ceiling Level**. Skin absorption effects must also be considered.

**OSHA** - U.S. Occupational Safety and Health Administration.

**PEL - Permissible Exposure Limit** - This exposure value means exactly the same as a TLV, except that it is enforceable by OSHA. The OSHA Permissible Exposure Limits are based in the 1989 PELs and the June, 1993 Air Contaminants Rule (Federal Register: 58: 35338-35351 and 58: 40191). Both the current PELs and the vacated PELs are indicated. The phrase, "Vacated 1989 PEL," is placed next to the PEL that was vacated by Court Order.

**IDLH - Immediately Dangerous to Life and Health** - This level represents a concentration from which one can escape within 30-minutes without suffering escape-preventing or permanent injury. **The DFG - MAK** is the Republic of Germany's Maximum Exposure Level, similar to the U.S. PEL. **NIOSH** is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (**OSHA**). NIOSH issues exposure guidelines called **Recommended Exposure Levels (RELs)**. When no exposure guidelines are established, an entry of **NE** is made for reference.

#### HAZARD RATINGS:

**HAZARDOUS MATERIALS IDENTIFICATION SYSTEM:** Health

Hazard: **0** (minimal acute or chronic exposure hazard); **1** (slight acute or chronic exposure hazard); **2** (moderate acute or significant chronic exposure hazard); **3** (severe acute exposure hazard; onetime overexposure can result in permanent injury and may be fatal); **4** (extreme acute exposure hazard; onetime overexposure can be fatal).

Flammability Hazard: **0** (minimal hazard); **1** (materials that require substantial pre-heating before burning); **2** (combustible liquid or solids; liquids with a flash point of 38-93°C [100-200°F]); **3** (Class IB and IC flammable liquids with flash points below 38°C [100°F]); **4** (Class IA flammable liquids with flash points below 23°C [73°F] and boiling points below 38°C [100°F]. Reactivity Hazard: **0** (normally stable); **1** (material that can become unstable at elevated temperatures or which can react slightly with water); **2** (materials that are unstable but do not detonate or which can react violently with water); **3** (materials that can detonate when initiated or which can react explosively with water); **4** (materials that can detonate at normal temperatures or pressures).

**NATIONAL FIRE PROTECTION ASSOCIATION:** Health Hazard: **0** (material that on exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials); **1** (materials that on exposure under fire conditions could cause irritation or minor residual injury); **2** (materials that on intense or continued exposure under fire conditions could cause temporary incapacitation or possible residual injury); **3** (materials that can on short exposure could cause serious temporary or residual injury); **4** (materials that under very short exposure could cause death or major residual injury). Flammability Hazard and Reactivity Hazard: Refer to definitions for "Hazardous Materials Identification System".

#### FLAMMABILITY LIMITS IN AIR:

Much of the information related to fire and explosion is derived from the **National Fire Protection Association (NFPA)**. Flash Point - Minimum temperature at which a liquid gives off sufficient vapors to form an ignitable mixture with air. Autoignition Temperature: The minimum temperature required to initiate combustion in air with no other source of ignition. LEL - the lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. UEL - the highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.

#### TOXICOLOGICAL INFORMATION:

Possible health hazards as derived from human data, animal studies, or from the results of studies with similar compounds are presented. Definitions of some terms used in this section are: **LD<sub>50</sub>** - Lethal Dose (solids & liquids) which kills 50% of the exposed animals; **LC<sub>50</sub>** - Lethal Concentration (gases) which kills 50% of the exposed animals; **ppm** concentration expressed in parts of material per million parts of air or water; **mg/m<sup>3</sup>** concentration expressed in weight of substance per volume of air; **mg/kg** quantity of material, by weight, administered to a test subject, based on their body weight in kg. Data from several sources are used to evaluate the cancer-causing potential of the material. The sources are: **IARC** - the International Agency for Research on Cancer; **NTP** - the National Toxicology Program, **RTECS** - the Registry of Toxic Effects of Chemical Substances, **OSHA** and **CAL/OSHA**. IARC and NTP rate chemicals on a scale of decreasing potential to cause human cancer with rankings from 1 to 4. Subrankings (2A, 2B, etc.) are also used. Other measures of toxicity include **TDLo**, the lowest dose to cause a symptom and **TCLo** the lowest concentration to cause a symptom; **TDo**, **LDLo**, and **LDo**, or **TC**, **TCo**, **LCLo**, and **LCo**, the lowest dose (or concentration) to cause death. **BEI** - Biological Exposure Indices, represent the levels of determinants which are most likely to be observed in specimens collected from a healthy worker who has been exposed to chemicals to the same extent as a worker with inhalation exposure to the TLV.

#### REGULATORY INFORMATION:

This section explains the impact of various laws and regulations on the material. **EPA** is the U.S. Environmental Protection Agency. **WHMIS** is the Canadian Workplace Hazardous Materials Information System. **DOT** and **TC** are the U.S. Department of Transportation and the Transport Canada, respectively. **Superfund Amendments and Reauthorization Act (SARA)**; the **Canadian Domestic Substances List (DSL)**; the U.S. **Toxic Substance Control Act (TSCA)**; Marine Pollutant status according to the **DOT**; California's Safe Drinking Water Act (**Proposition 65**); the **Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA or Superfund)**; and various state regulations. This section also includes information on the precautionary warnings that appear on the materials package label.