

1: Identification

- **Product identifier**
- **Trade name:** EON Total Protein Reagent
- **Article number:** 77420A / 79420A
- **Synonyms** EON 100 Total protein R / EON 300 Total protein R.
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Reagent for IN VITRO diagnostic
Product included in kit(s) :
- Kit composed of one reagent : 77420 / 79420
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ELITech Clinical Systems SAS
Zone Industrielle
61500 Sées • France
Tel : +33 (0)2 33 81 21 00
Fax : +33 (0)2 33 28 77 51
www.elitechgroup.com
MSDS.ECS-SAS@elitechgroup.com
- **Information department:** Product safety department
- **Emergency telephone number:** Contact your distributor or poison control center in your country.

2: Hazard(s) identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05

- Met. Corr.1 H290 May be corrosive to metals.
- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.
- Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
sodium hydroxide
- **Hazard statements**
May be corrosive to metals.
Causes severe skin burns and eye damage.
Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe mist/vapours/spray.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Absorb spillage to prevent material damage.

3: Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**
Mixture of substances.
Aqueous solution.

· **Dangerous components:**

1310-73-2	sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314	≤ 2.5%
-----------	--	--------

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 1)

7758-99-8 copper(II) sulfate pentahydrate

< 0.5%

⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319

4: First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.
Show this safety data sheet to the doctor in attendance.

· After inhalation:

Supply fresh air.
Move out of dangerous area.
If required, provide artificial respiration.
If symptoms appear, seek medical advice.

· After skin contact:

Immediately rinse with water.
Seek immediate medical advice.

· After eye contact:

Protect unharmed eye.
Remove contact lenses, if present and easy to do.
Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Never give anything by mouth to an unconscious person.
Rinse out mouth.
Do not induce vomiting.
Seek immediate advice from a doctor or a poison control center.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed Irritation and corrosion. Danger to the sight.
· Indication of any immediate medical attention and special treatment needed Data not available

5: Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Formation of hazardous vapours/gases is possible during heating or in case of fire.

· Advice for firefighters

· Protective equipment: As in any fire, wear a respiratory protective device, and full protective gear.

6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Prevent formation of aerosols.
Avoid physical contact with material.

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb spillage to prevent material damage.
Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).
Use neutralizing agent.
Clean the affected area carefully.
Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7: Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Avoid physical contact with material.
Observe the warnings on the label.

· Information about protection against explosions and fires:

No special measures required.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- *Requirements to be met by storerooms and receptacles:*
Store only in the original receptacle.
Prevent any seepage into the ground.
- *Information about storage in one common storage facility:* Store away from incompatible materials (see section 10).
- *Further information about storage conditions:*
Keep receptacle tightly sealed.
Protect the product from light. Avoid exposure to heat.
- *Recommended storage temperature:* 2-30 °C
- **Specific end use(s)** No further relevant information available.

8: Exposure controls/personal protection

- **Additional information about design of technical systems:** Eyewash fountain and safety shower in the area of storage and use.

- **Control parameters**

- *Components with limit values that require monitoring at the workplace:*

1310-73-2 sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³

- *Additional information:* The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- *General protective and hygienic measures:*

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash contaminated clothing before reuse.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

- *Breathing equipment:*

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

- *Protection of hands:*



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

- *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- *Penetration time of glove material* The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- *Eye protection:*



Wear face shield/eye protection.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

- *Body protection:* Protective work clothing

9: Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- *Appearance:*

Form: Liquid

Color: Blue

- *Odor:* uncharacteristic

- *pH-value at 20 °C (68 °F):* 13,5

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 3)

· Change in condition	
Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	Not determined.
Solidification point:	Not determined
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable
· Ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure:	Not determined
· Density at 20 °C (68 °F):	1,03 g/cm ³ (8.595 lbs/gal)
· Vapour density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
Water:	Miscible
· Partition coefficient (n-octanol/water):	Not determined
· Viscosity:	
Dynamic:	Not determined
· Other information	No further relevant information available.

10: Stability and reactivity

- **Reactivity** See § Possibility of hazardous reactions.
- **Chemical stability** Stable under recommended storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
Reacts with various metals.
Reacts with acids.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Strong oxidizing agents, strong acids
Metals.
- **Hazardous decomposition products:** Dangerous decomposition products may be formed.
- **Additional information:** Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· *LD/LC50 values that are relevant for classification:*

ATE (Acute Toxicity Estimates)

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 5000 mg/kg (rat)

1310-73-2 sodium hydroxide

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

7758-99-8 copper(II) sulfate pentahydrate

Oral	LD50	960 mg/kg (rat)
	LDL0	1088 mg/kg (human)
Dermal	LD50	> 2000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:**
Causes severe skin burns and eye damage.
- **on the eye:**
Risk of serious damage to eyes.
Causes serious eye damage.
- **Inhalation:**
May be harmful by inhalation.
May cause irritation of mucous membranes.
- **Ingestion:**
May be harmful if swallowed.
May cause burns.
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 5)

-USA-

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 4)

- *Sensitization*: Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- *Carcinogenic categories*
- *IARC (International Agency for Research on Cancer)* None of the ingredient is listed.
- *NTP (National Toxicology Program)* None of the ingredient is listed.



12: Ecological information

- **Toxicity**
 - **Aquatic toxicity:**
Information on components:
- | 1310-73-2 sodium hydroxide | |
|---|---------------------------------|
| EC50/48h | 76 mg/l (Daphnia) |
| LC50/96h | 45.4 mg/l (Onchorhyncus mykiss) |
| 7758-99-8 copper(II) sulfate pentahydrate | |
| EC50/48h | 0.02 mg/l (Daphnia) |
| LC50/96h | 0.11 mg/l (Onchorhyncus mykiss) |
- **Persistence and degradability** Data not available
 - **Behavior in environmental systems:**
 - **Bioaccumulative potential** Data not available
 - **Mobility in soil** Data not available
 - **Ecotoxicological effects:**
 - **Remark:** Can lead to changes in pH and deterioration of aquatic life.
 - **Additional ecological information:**
 - **General notes:**
At present there are no ecotoxicological assessments.
Water hazard class 2 (Self-assessment): hazardous for water
Danger to drinking water if even small quantities leak into the ground.
Do not allow product to reach ground water, water course or sewage system.
Disposal procedures have to be respected, see Section 13.
 - **Other adverse effects** No further relevant information available.

13: Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Primary packaging:** Plastic vial (composed of polyethylene high density)

14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA | UN1824 |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG, IATA | Sodium hydroxide solution
1824 Sodium hydroxide solution
SODIUM HYDROXIDE SOLUTION |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class · Label | 8 Corrosive substances
8 |
| <ul style="list-style-type: none"> · ADR, IMDG, IATA | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class · Label | 8 Corrosive substances
8 |
| <ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA | III |

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 5)

· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	88
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN1824, Sodium hydroxide solution, 8, III

15: Regulatory information

- **SARA**
- *Section 302/304 (40CFR355.30 / 40CFR355.40):* None of the ingredients is listed.
- *Section 313 (Specific toxic chemical listings):* Not regulated.
- **TSCA (Toxic Substances Control Act):** This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.
- **Proposition 65**
- *Chemicals known to cause cancer:* None of the ingredients is listed.
- *Chemicals known to cause reproductive toxicity for females:* None of the ingredients is listed.
- *Chemicals known to cause reproductive toxicity for males:* None of the ingredients is listed.
- *Chemicals known to cause developmental toxicity:* None of the ingredient is listed.
- **Carcinogenic categories**
- *EPA (Environmental Protection Agency)* None of the ingredient is listed.
- *TLV (Threshold Limit Value established by ACGIH)* None of the ingredient is listed.
- *NIOSH-Ca (National Institute for Occupational Safety and Health)* None of the ingredient is listed.
- *OSHA-Ca (Occupational Safety & Health Administration)* None of the ingredient is listed.
- **U. S. State Regulations:**

· PA-RTK

1310-73-2 | sodium hydroxide

· NJ-RTK

1310-73-2 | sodium hydroxide

· MA-RTK

1310-73-2 | sodium hydroxide

· RI-RTK

1310-73-2 | sodium hydroxide

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing MSDS:** Product safety department

- **Contact:** Product safety department

· **Abbreviations and acronyms:**

- SVHC : Substances of Very High Concern
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- NOEC : No Observed Effect Concentration
- EC50: Effective concentration, 50 percent
- IC50 : Inhibitory concentration, 50 percent.
- Met. Corr. 1: Corrosive to metals, Hazard Category 1
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

(Contd. on page 7)

-USA-

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/19/2015

Reviewed on 11/02/2015

Trade name: EON Total Protein Reagent

(Contd. of page 6)

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· ** Data compared to the previous version altered.*

USA